AGAT Laboratories

Have feedback? Scan here for a quick survey!

9770 Trans Canada Route
St-Laurent, Quebec
H4S 1V9
www.agatlabs.com

For the exclusive use of the laboratory

Condition on arrival Good ☐ Bad (see notes) ☐
Temperature on arrival: _____
AGAT work order #: _____
Notes :

Chain of custody ▪ Food testing

Tel.: 514.337.1000 ▪ Toll-free: 1.866.417.5227 ▪ Fax: 514.333.3046

Client information

Company : _____
Address : _____
Telephone : _____ Fax : _____
Purchase order : _____ Project Name : _____
Submission #: _____
Sampling point: _____

Send the report to :

Name: _____
Email : _____
Email : _____

Required TAT for chemistry only (calculated in business days):

Samples received after 4 PM will be recorded as received the next business day

Regular turnaround (TAT) ☐ 5 to 7 days Required date: _____

Rapid TAT ☐ 24 hours ☐ 48 hours ☐ 72 hours

Samples for urgent analysis must be sent to us before noon to ensure the deadline

Reporting format

☐ **Portrait** 1 per page
☐ **Landscape** several per page

Matrices (legends) :

V	Meat/Poultry (heat-treated)	FL	Fruit/Vegetables/Nuts (heat-treated)	O	Eggs/Egg products
VC	Raw Meat/Raw Poultry	FLC	Fruit/Vegetables/Raw nuts	S	Surface
PF	Fish/Seafood (heat-treated)	PL	Dairy products (heat-treated)	EP	Drinking water
PFC	Raw Fish/Seafood	PLC	Raw milk products	Air	Air petri
		PB	Bakery products/Chocolate		

Other (specify): _____

Sample ID	Sampling date yyyy/mm/dd (mandatory)	Matrices	Number of containers included (specify if composite)	Total aerobic count MFHPB-18 ☐ 3M MFHPB-33 ☐ Anaerobic count ☐	Yeast/Mould MFHPB-22 ☐ 3M MFHPB-32 ☐ 3M Rapid AOAC 2014.05 ☐	Total coliforms ☐ MFHPB-19 ☐ 3M MFHPB-34 ☐	E.coli ☐ MFHPB-19 ☐ 3M MFHPB-34 ☐	Staphylococcus aureus MFHPB-21 ☐ 3M MFLP-21 ☐	Bacillus cereus MFLP-42 ☐	Lactic acid bacteria 3M ☐	Lactobacillus count ☐	Clostridium perfringens MFHPB-23 ☐ Clostridium botulinum ☐	Salmonella VIDAS MFLP-49 ☐ MDS MFLP-100 ☐ BAX MFLP-29 ☐ MFHPB-20 ☐	↳ Portion 25g ☐ 325g ☐ 375g ☐ Composite ☐	Listeria mono. Culture MFHPB-30 ☐ BAXMFLP-28 ☐ MDSMFLP-72/111 ☐	↳ Portion 25g ☐ 125g ☐ Composite	Listeria spp VIDASMFLP-59 ☐ VIDASMFLP-77 ☐ BAXMFLP-15 ☐ MDS MFLP-101 ☐	E.coli O157 BAX MFLP-30 ☐ Culture MFHPB-10 ☐	↳ Portion 25g ☐ 325g ☐ 375g ☐ Composite ☐	Other ☐ Specify: _____	BHAA (**drinking water**) ☐	Total coliforms/atypical and E.coli (**drinking water**) ☐	Bone particles ☐ Calcium ☐ Other metals ☐ Specify: _____	Proteins ☐ Cholesterol ☐ Nitrites ☐ Dietary fiber ☐	Fat-HCl ☐ Cocoa ☐ Meat-Soxhlet ☐ Milk-Mojonnier ☐	Total sugars ☐ Individual sugar ☐ Specify: _____	Water activity ☐ pH ☐ % salt (NaCl) ☐	Moisture ☐ Total solids ☐ Ash ☐	Fatty acid profile Simple ☐ Detailed ☐ Free fatty acids ☐	Vitamin A ☐ Vitamin C ☐ Vitamin D ☐	Peroxide value ☐ Iodine value ☐	Allergen(s) ☐ Specify _____	Other(s) ☐ Specify _____

Sample submitted by (full name and signature)	Date/Time	Sample received by (full name and signature)	Date/Time
Sample submitted by (full name and signature)	Date/Time	Sample received by (full name and signature)	Date/Time

Page _____ of _____

Any and all products and/or services provided by AGAT Labs are pursuant to the terms and conditions as set forth at www.agatlabs.com/termsandconditions unless otherwise agreed in a current written contractual document.